



The Spreader of Choice

TANDEM AXLE FERTILIZER & LIME SPREADERS

SPREADIT • SPREADIT JUNIOR • 47C



Newton Crouch Spreader Exclusive

Newton Crouch Spreaders
yield the most uniform
spread pattern in the
industry as easy as 1-2-3!

Newton Crouch Spreaders give
unsurpassed features...

- Simplicity
- Ruggedly durable quality
- Our exclusive **Spread-Tek™**
application system
- **Number One Spread Pattern**

Spread-Tek™ Application:

Exclusively developed and used by
Newton Crouch Inc., our **Spread-Tek™**
application delivers consistent, accurate,
and uniform spreading.

With ongoing research and testing since
the 1960s, our engineers, customers,
and product specialist have continuously
reached the same findings:

Spread-Tek's™ superior spread
patterns result from five basic
equipment variables:

- Spinner design
- Spinner position
- Spinner speed
- Chute location
- Material

It's a fact! Newton Crouch Spreaders
lay out the flattest, most uniform, most
consistent spread pattern in the industry.

Operators state that Newton Crouch
spreaders are the easiest to set up and
adjust to achieve the most desirable
pattern.

**"Calibrated the box in the field - it was
almost perfect with the chart!"**

Michigan Grower

Spread-Tek™
APPLICATION

TANDEM AXLE SPREADERS

Various Capacities Available

WIDELY USED on FARMS, TURF, & in the FIELDS.

Designed and built stronger to last longer.



Stainless Hull, 24" Conveyor, Dishes, & Blades



Fertilizer & Lime Sprockets
with Third Rate Kit

"I have sowed all
my cover crop with
it the past 12 years.
The spreader has
not been touched
and nothing has
been replaced since
new. All we do
when finished for
the day is rinse the
equipment off ."
North Carolina
Grower

Manufactured
**heavier...sturdier
and stronger...**
with more **304
stainless steel...**
a design that's
easier to operate
and maintain.



NCI Exclusive Hydraulic System

Options Shown

Low Cost Ownership

Spreadit, Spreadit Junior, & 47C




Spreadit
Heavy Duty Tandem Axle
8 Tons - 233 Cubic Feet
10 Feet x 99 Inches
19L x 16.1 Tires

Spreadit Junior
Heavy Duty Tandem Axle
6 Tons - 172 Cubic Feet
9 Feet x 90 Inches
16.5L x 16.1 Tires



47C
Tandem Axle
4/5 Ton - 129 Cubic Feet
5 Ton - 170 Cubic Feet (shown)
10 Feet x 72 Inches
14L x 16.1 Tires



We'd like to show you why
Newton Crouch spreaders
deliver a more uniform,
consistent, predictable
pattern than any other
spreader brands.
!

Options Shown

Tandem Axle Spreaders Features & Options

SPECIFICATIONS	SPREADIT	JUNIOR	47 C
Capacity (tons)	8	6	4/5
Hopper Capacity - Struck (cu ft)	233	172	129
Overall Length (ft)	20.5	20	18.8
Overall Height, Ground to Top (ft)	8	7.9	6.4
Overall Width (ft)	8.5	8.3	7.1
Hopper Length (ft)	10	9	10
High Side, 8"	NA	NA	OPT
Ribs	5	4	5
Hopper Width (ft)	8.25	7.5	6
Wheel Centers (in)	78	76	60 or 72
Narrow Track - 60" Wheel Center	NA	OPT	OPT
Hubs	8 bolt	8 bolt	8 bolt
Tires - 14L x 16.1, 6 ply	NA	NA	STD
Tires - 16.5 L x 16.1, 10 ply	OPT	STD	NA
Tires - 19L x 16.1, 12 ply	STD	NA	NA
Hull, 304 Stainless	STD	STD	STD
Conveyor - 16" Stainless, Clinched	STD	STD	STD
Conveyor - 24" Stainless, Clinched	OPT	OPT	OPT
Half/ Third Rate Kit - Recommended for 24" Conveyor	OPT	OPT	OPT
Gate Handle Extension	STD	STD	STD
Gate Jack Cover, Stainless	OPT	OPT	OPT
Dishes & Blades, Stainless	STD	STD	STD
Heavy Duty Dishes (3/16") & Blades (1/4'), Stainless	OPT	OPT	OPT
Fertilizer & Lime Sprockets - 1 Chain Combo w/ Idler (in)	STD, 16	STD, 16	STD, 16
Trailer - Tube Frame, Reinforced, Tandem Axle	STD	STD	STD
Paint - Powder Coat	STD	STD	STD
Hitch - CAT 3 Clevis, Adjustable	STD	STD	STD
Safety Chains (2)	STD	STD	OPT
Tractor Open or Closed Hydraulic Four Hose System - 12 gpm	STD	STD	STD
Hydraulic Spinners - 1" Shaft Greaseable	STD	STD	STD
Heavy Duty Hydraulic Spinners, 1 1/4" Shaft Greaseable	OPT	OPT	OPT
Self-Contained Hydraulics, PTO, or Drive Wheel Pump	OPT	OPT	OPT
PTO Spinner Drive with Gear Box	47H Trailer	NA	OPT
Drive Wheel, Steel Replaces Laminated	OPT	OPT	OPT
45 ft Spread Pattern, Fertilizer	STD	STD	STD
70 ft Spread Pattern, Extended Range	OPT	OPT	OPT
Brakes - Hydraulic Surge, 2 Wheel	STD	OPT	OPT
Inverted Vee, Stainless	OPT	OPT	OPT
Coating on Trailer Rail Under Tube of Hull	OPT	OPT	OPT
Lights - Stop, Tail, Turn	OPT	OPT	OPT
Self Contained Hydraulics	OPT	OPT	OPT
Tarp System - Various	OPT	OPT	OPT
NCI Spinner RPM Monitor - Mounted on Hull	OPT	OPT	OPT
Variable Rate System	OPT	OPT	OPT
Guidance System	OPT	OPT	OPT



Griffin, GA • 800- 241-1350

Albany, GA • 800-624-7931

Sebring, FL • 877-605-0273

Website: www.newtoncrouch.com

Email: sales@newtoncrouch.com

Distributed by:

Fertilizer Handling Equipment • Tanks • Precision Farming • Parts • Sprayer Controls
Pumps & Tips • Service • Technical Support • Accessories