



Shield Ag 20" Coulter Arm Assembly



#	PART#	DESCRIPTION	QTY
1	KSC-466360-RP716	Spring Pin, 7/16 X 3	2
2	KSC-466315 (20" & 24")	COULTER SHAFT	1
3	KSC-466320	COULTER PIVOT ASSEMBLY	1
4	KSC-466360-MB10	Machine Bushing 10 ga	1
5	MF6H	Washer, Flat, 3/4" High Strength	2
6	106-N1	HHCS, 3/4" X 14" BOLT GR.5	1
7	KSC-466360-MB14	Maching Bushing, 14 ga	2
8	KSC-466360-CP	Cotter Pin, 1/4 X 2	1
9	KSC-466360-GF	Drive Zerk	2
10	KSC-466300-HUB	N633 Hub Assembly w/ Bearings	1
11	KSC-466300 (20"), KSC-466305 (24")	COLTER ARM ASSEMBLY	1
12	SPR-1 (20" & 24")	MAIN SPRING	1
13	S1244SL-SPC	SPRING CAP WELDMENT	2
14	N6	NUT, HEX, 3/4" High Strength	1
15	N6J	NUT, HEX, JAM, 3/4" PLATED	1
16	KSC-466300-SPL	N633 Spindle w/ Hardware	1
17	KSC-466315-C	COLLAR	1




#	PART#	DESCRIPTION	QTY
1	KSC-466360-RP716	Spring Pin, 7/16 X 3	2
2	KSC-466315 (20" & 24")	COULTER SHAFT	1
3	KSC-466320	COULTER PIVOT ASSEMBLY	1
4	KSC-466360-MB10	Machine Bushing 10 ga	1
5	MF6H	Washer, Flat, 3/4" High Strength	2
6	106-N1	HHCS, 3/4" X 14" BOLT GR.5	1
7	KSC-466360-MB14	Maching Bushing, 14 ga	2
8	KSC-466360-CP	Cotter Pin, 1/4 X 2	1
9	KSC-466360-GF	Drive Zerk	2
10	KSC-466300-HUB	N633 Hub Assembly w/ Bearings	1
11	KSC-531020	COLTER ARM ASSEMBLY	1
12	SPR-1 (20" & 24")	MAIN SPRING	1
13	S1244SL-SPC	SPRING CAP WELDMENT	2
14	N6	NUT, HEX, 3/4" High Strength	1
15	N6J	NUT, HEX, JAM, 3/4" PLATED	1
16	KSC-466300-SPL	N633 Spindle w/ Hardware	1
17	KSC-466315-C	COLLAR	1



Super 1200 Flex Coulter



Coulter Shank Assembly




#	QTY	PART#	DESCRIPTION
1A	1	AAM2728	Coulter Shank Assembly 16"
1B	1	AAM2729	Coulter Shank Assembly 19"
1C	1	AAM2730	Coulter Shank Assembly 23"
2	1	AM2799	Coulter Arm Assembly
3A	1	AM2735	16" Verticle Shank
3B	1	AM2738	19" Verticle Shank
3C	1	AM4424	23" Verticle Shank
4	1	BP3162	Roll Pin 3/8 x 2"
5	1	BP3466	Bushing 10GA, 1 3/4" x 2 1/2"
6	1	BP3519	Roll Pin 3/8" x 2 1/2"
7	1	BP3534	Roll Pin 7/32" x 2 1/2"

Coulter Arm


#	QTY	PART#	DESCRIPTION
1	1	AM2799	ASSEMBLY, COULTER ARM WITH HUB & KNEE
2	1	AM2743	CASTING, COULTER KNEE, WITH BUSHINGS
2A	1	AP2274	BUSHING, 1-17/32" OD X 1-3/8" ID" X 1" OAL
2B	1	AM2477-1	CASTING, COULTER KNEE, MACHINED
3	2	AM2796	SPRING CAP & GUIDE, HD COULTER
4	1	AM2797	COULTER ARM, HD
4A	1	AP2216	DECAL, BLU-JET, SMALL, 1-1/2" X 4"
5	1	AP2029	PIN, COTTER, 5/32" X 1-1/2"
6	1	AP2704	NUT, SPINDLE, 3/4"-16
7	1	AP2705	WASHER, SPINDLE, 1-1/2" X 13/16" X .134"
8	1	AP2881D	SPRING, 2.472" OD X 5.875" OAL, .468 D
9	1	BP3072	GREASE ZERK, 1/4"-28
10	1	BP3404	BUSHING, 2-1/8" OD X 1-3/8" ID X 10 GA
11	1	BP3405	SNAP RING, 1-3/8" EXTERNAL

Hub Assembly


#	QTY	PART#	DESCRIPTION
1	1	AP2707	HUB ASSEMBLY, 4 BOLT
2	1	AP2703	HUB CAP
3	1	AP2706-1	HUB W/ CUPS
3A	1	AP2075	BEARING CUP, LM 11910
3B	1	AP2524	BEARING CUP, LM 67010
4	1	AP2747	GREASE SEAL, 15235TB
5	1	AP2023	BEARING CONE, LM 67048
6	1	AP2024	BEARING CONE, LM 11949
7	1	AP2702	HEX CAP SCREW, 1/2"-20 X 1"
8	1	BP3072	GREASE ZERK



AP2707, HUB ASSEMBLY, 4 BOLT



#	PART#	DESCRIPTION	QTY
1	2570-375	Hub Cap	1
2	2531-102	1/8 x 1 1/4 Cotter Pin	1
3	2520-469	5/8-1 Slotted Hex Nut	1
4	2520-352	1/2-13 Hex Nut ZP	8
5	2525-352	1/2 Med Lockwasher ZP	8
6	2571-168	.157 x 20" Multi Hole Fluted	1
7	2526-449	5/8 Flatwasher	1
8	2550-027	Cone, LM67048	2
9	2550-029	Cup	2
10	2900-102	Hub Sub-Assembly	1
11	2505-339	1/2-13 x 1 1/2 Car Blt GR5 ZP	4
12	2550-066	Triple Lip Seal, NTI#1812-4	1
13	2502-410	3/4-16 x 3" HHCS GR5 ZP	1
14	2570-125	Pressure Rod, 9 3/8" Eyebolt	1
15	2910-311	7/16 Wire Spring	1
16	2910-302	2910 Spring Bushing	1
17	2520-516	3/4-10 Nylon Locknut GR2 ZP	1
18	2520-508	3/4-16 Hex Nut ZP	1
19	2520-511	3/4-16 Lock Hex Nut ZP	1
20	2910-201	Coulter Arm W.A.	1
21	2910-320	Pivot Casting Assy.	1
22	2526-561	1 17/64ID x 1 7/8OD x 14 GA MB BL	1
23	2531-125	1/4 x 1 3/4 Cotter Pin ZP	1
24	2910-301	Locking Collar Plow Coulter	1
25	2503-379	5/8-11 x 1 SQ HCPSS GR5 ZP	1
26	2530-208	3/8 x 2 1/2 Roll Pin ZP	2
27	2520-452	5/8-11 Hex Nut ZP	5
28	2525-451	5/8" Med Lockwasher ZP	5
29	2502-394	5/8-11 x 8" HHCS GR5 ZP	4
	2502-348	5/8-11 x 11" HHCS GR5 ZP	4
30	2526-351	1/2" STD Flat washer ZP	4
31	2502-385	5/8-11 x 3-1/4 HHCS GR5 ZP	1
32	3010-303	Straight Coulter Shank	1
33	3010-304	Shank U-Bolt ZP	2
34	3010-301	Shank Bracket	2
	3010-306	Shank Bracket, 5x7 or 7x7 Bar	2
35	2987-301	Hub Cap Retainer	1



Yetter Coulter Assembly



- Prevents need to disc through or shred residue
 - Accepts 20" diameter coulter blades
 - Accepts optional fertilizer injector systems
 - Available with straight shank
- 2930-020



Yetter 2996 Parallel Linkage Fertilizer Coulter




Efficient, effective placement of fertilizer

- Pre-apply or side-dress liquid or dry fertilizer with rear knife or spring-loaded injection placement options
- Uses a 20" ripple or 25" multi-wave blade
- Mounting Kits available for Toolbars
- Available in left- and right-hand models

2996-057-R

2996-057-L




#	PART #	DESCRIPTION	QTY.
1	2502-358	1/2-13 x 3 1/2 HHCS G8 ZP	2
2	2503-379	5/8-11 x -1 SQ. HCPSS GR5ZP	1
3	2505-337	1/2-13 x 1 1/4 CARBLT G5ZP	4
4	2520-352	1/2-13 HEX NUT ZP	4
5	2520-362	1/2-13 HEX LOK NUT, GR C, ZP	2
6	2525-352	1/2 MED LOCKWASHER ZP	4
7	2526-355	1/2 FLAT WASHER HARD'ND ZP	2
8	2530-208	3/8 x 2-1/2 ROLL PIN ZP	1

#	PART #	DESCRIPTION	QTY.
9	2531-161	COTTER PINS	1
10	2970-319	KNIFE SHIM, 1/8" ALUMINUM	2
11	2970-320	KNIFE SHIM, 16GA., ALUMINUM	1
12	2975-303	2975 LOCKING COLLAR	1
13	2987-301	HUB CAP RETAINER	1
14	2995-309	SPACER BLOCK	1
15	2996-102-R	RH 20" FERTILIZER CLTR. ASSY	1
16	2996-200	20" LIQUID FERTILIZER KNIFE .5" TUBE	1



Dalton Independent Disc Sealer




#	PART #	DESCRIPTION	QTY.
1	4410171	INDEPENDENT STYLE	1
2	4410174	UPPER MOUNTING BRACKET	1
3	4420271	SHANK MOUNTING BRACKET	1
4	4410256	PIVOT ARM W BUSHING, LH	1
5	4440857	BUSHING, COMPOSITE	2
6	4410255	PIVOT ARM W BUSHING, RH	1
7	150251	FLAT WASHER, 1.25 ID x 1.875 OD	2
8	101689	SPRING PIN .375x2	2
9	4420277	HUB ASSEMBLY, STD	2
10	4420273	HUB BRACKET, STD, WELDMENT	1
11	4420201	SPINDLE HUB, STD, WELDMENT	1
12	151222	GREASE ZERK, .25 SELF TAPPING	1

#	PART#	DESCRIPTION	QTY
13	4440704	SEAL	1
14	4440702	BEARING	2
15	4440703	RACE	2
16	150224	FLAT WASHER, .625	1
17	4440737	SLOTTED NUT	1
18	150406	COTTER PIN, .125 x 2	1
19	QDS909923	DUST CAP, 1.75	1
20	151835	CARRIAGE BOLT .375x.75 NC PLTD	8
21	4440785	BLADE, 18 INCH NOTCHED	2
22	158005	FLANGE NUT, .375 NC	8
23	158006	FLANGE BOLT, .5 NC x 1.75, G5	4
24	158007	FLANGE NUT, .5 NC	8
25	4440788	U-BOLT, 2 x 2.5 x .5 NC, SQUARE HEAD	2




Dalton Standard Side Dress Disc Sealer with 14.5" Arms



#	PART #	DESCRIPTION	QTY.
1	4410185	INDEPENDENT STYLE w/ 14.5" ARMS	1
2	4410195	UPPER MOUNTING BRACKET	1
3	4420287	UPPER BRACKET, LONG ARM, WELDMENT	1
4	4410259	PIVOT ARM, LONG	1
5	4440857	BUSHING, COMPOSITE	2
6	4420288	PIVOT ARM, 14.5"	1
7	150251	FLAT WASHER, 1.25 ID x 1.875 OD	2
8	101689	SPRING PIN .375 x 2	2
9	158006	FLANGE BOLT, .5 NC x 1.75, G5	2
10	158007	FLANGE NUT, .5 NC	1
11	4440788	U-BOLT, 2 x 2.5 x .5 NC, SQUARE HEAD	1
12	4420277	HUB ASSEMBLY, STD	1

#	PART#	DESCRIPTION	QTY
13	4420273	HUB BRACKET, STD, WELDMENT	1
14	4420201	SPINDLE HUB, STD, WELDMENT	2
15	151222	GREASE ZERK, .25 SELF TAPPING	2
16	4440704	SEAL	1
17	4440702	BEARING	1
18	4440703	RACE	1
19	150224	FLAT WASHER, .625	1
20	4440737	SLOTTED NUT	8
21	150406	COTTER PIN, .125 x 2	2
22	QDS909923	DUST CAP, 1.75	8
23	151835	CARRIAGE BOLT .375x.75 NC PLTD	4
24	4440785	BLADE, 18 INCH NOTCHED	8
25	158005	FLANGE NUT, .375 NC	2




SealPro II Disc Sealer

#	QTY	PART#	DESCRIPTION
1	2	AM2481	Assembly, Sealer Hanger w/ Blade Mounting
2	1	AM2485	Assembly, Sealer Mounting Bracket
2A	1	AM2484	Bracket, Sealer Mounting
2B	1	BM3643	Pin, 1-1/4" x 12-1/2" OAL, Sealer Shaft
2C	2	BP3003	Nut, Hex Lock, 3/8"-16, Grade 2, Plated
2D	2	BP3096	Hex Cap Screw, 3/8"-16 x 2-1/2", Grade 5, Plated
3	1	AM2486	Sealer Arm, Left Hand
3A	2	AP3115	Bushing, Self-Lubricated 1-1/4" x 1-1/4" Long
4	1	AM2487	Sealer Arm, Right Hand
4A	2	AP3115	Bushing, Self-Lubricated 1-1/4" x 1-1/4" Long
5	4	BP3041	Hex Cap Screw, 1/2"-13 x 2", Grade 5, Plated
6	16	BP3042	Nut, Hex, 1/2"-13, Grade 2 Plated
7	16	BP3043	Washer, Lock, 1/2", Plated
8	8	BP3050	Washer, Flat, 1/2", Plated
9	8	BP3125	Hex Cap Screw, 1/2"-13 x 1", Grade 5, Plated
10	2	BP3162	Pin, Roll, 3/8" x 2", Plated
11	2	BP3249	Machinery Bushing, 1-7/8" OD x 1-1/4" ID, 14 Gauge
12	2	BP3313	U-Bolt, 1/2"-13 x 2"W x 2-3/4"L, Plated

SealPro II Sealer Hanger

#	QTY	PART#	DESCRIPTION
1	1	AM2482	Hub Cap Retainer
2	1	AP2216	Decal, Blu-Jet, Small, 1-1/2" x 4"
3	2	AP2377	Bearing Cone, L44649
4	1	AP2380	Hub Cap
5	1	AP2426	Pin, Cotter, 5/32" x 1-3/4"
6	1	AP2811	Nut, Spindle, 1"-14
7	1	AP4209	Grease Seal, Double Lip
8	1	BP3042	Nut, Hex, 1/2"-13, Grade 2, Plated
9	1	BP3043	Washer, Lock, 1/2", Plated
10	1	BP3072	Grease Zerk, 1/4"-28
11	1	BP3126	Hex Cap Screw, 1/2"-13x1-1/2", Grd 5, Plated
12	1	BP3739	Machinery Bushing, 1-1/2" ODx1" ID, 14 Gauge
13	1	EM3245	Blade Mounting
14	1	EM3246	Sealer Hanger
14A	2	AP2376	Bearing Cup, L44610



Sealers for Side-Dress & Pre-Apply

6200 N Keeper™

Keep nitrogen in place

- Seals the knife and blade opening after fertilizer is applied
- Ideal for pre-plant and side-dress application
- Features spring-loaded down pressure with three easy-to-adjust positions
- Closing wheel angle is adjustable to increase or decrease amount of soil closure
- Available for Yetter 2995 and 2996 Fertilizer Coulters, as well as other manufacturers' coulters
- Compatible with Yetter closing wheels, SharkTooth® Wheels, and cast press closing wheels

Pictured with Yetter 2996 Assembly



2920 Disc Sealer

Adjustable blade pitch closes knife opening

- Available with 16" smooth or 16" notched blades
- Features adjustable blade angle and width to adapt setup depending on desired speed, operating depth, and type of knife being used
- Blades can be set to pinch knife opening closed or catch soil to cover knife opening
- Spring-loaded to pivot as field conditions and fertilizer knife depth change
- Bolts onto the following: 1" x 2" and 1 1/4" x 2" flat shanks, 1 1/4" square -coil shanks, and 2" shanks



2920 Max Sealer Plus™

Independent arms close knife opening


- Blade options include concave 18" notched discs or 13-shallow-wave 18" blades
- Features adjustable blade angle and width to adapt setup depending on desired speed, operating depth, and type of knife being used
- Independently operating arms facilitate outstanding residue flow and continuous soil contact
- Bolts onto the following: 1" x 2" and 1 1/4" x 2" flat shanks, 1 1/4" square -coil shanks, and 2" shanks



2920 Wheel Sealer

The low-disturbance sealer

- Features two 4" x 16" rubber closing wheels
- Depth is adjustable - up or down - on the closing wheel mount
- Pinches slot closed behind the knife
- Bolts onto the following: 1" x 2" and 1 1/4" x 2" flat shanks, 1 1/4" square -coil shanks, and 2" shanks



#	PART #	DESCRIPTION	QTY
1	2502-313	1/2-13 X 3 HHCS GR. 5 ZP	2
2	2920-211	SHANK MOUNTING BRACKET W.A.	1
3	2920-339	SHANK MOUNTING CLAMP PLATE	1
4	2520-357	1/2-13 LOCK HEX NUT ZP	4
5	2502-363	1/2-13 X 4-1/2 HHCS GR. 5 ZP	1
6	2920-342	INNER PIVOT BUSHING ZYD	1
7	2502-317	1/2-13 X 1-3/4 HHCS GR. 5 ZP	2
8	2920-210	MOUNTING BRACKET W.A.	1
9	2520-467	5/8-11 JAM HEX NUT ZP	1
10	2502-393	5/8-11 X 2-1/2 HHCS GR. 5 ZP	1
11	2920-324	PUSHROD, 9-3/16" EYEBOLT, ZP	1
12	2520-515	3/4-10 LOCK HEX NUT ZP	1
13	2975-302	2975 SPRING BUSHING, PAINTED	1
14	2920-350	COMPRESSION SPRING, SEALER	1
15	2920-330	DISC SEALER SPRING BRACKET	1
16	2570-448	1/8 STANDARD HAIRPIN COTTER ZP	1
17	2925-315	PIN, L128	1
18	2920-212	SEALER WHEEL ARM W.A.	1
19	2565-162	YETTER DECAL, 1-1/2 X 4-1/2	2
20	2502-336	5/8-11 X 4 HHCS GR. 5 ZP	2
21	2570-750	4.5X16 NYL/STL GA WHL 40MM OFFSET	2
22	2967-302	SPACER, 3/4" ZYD	2
23	2925-206	ADJUSTMENT STEM W.A.	1
24	2525-451	5/8 MED. LOCKWASHER ZP	2
25	2520-452	5/8-11 HEX NUT ZP	2

Yetter Wheel Sealer

2920-020



- Anhydrous wheel sealer
- Bolts onto the following: 1"x2" and 1-1/4"x2" flat shanks, 1-1/4" square-coil shanks, and 2" shanks
- Has 40 mm bearings and 4"x16" closing wheels
- Pinches slot closed



Coulter Blades



Crucible Fixed



Fluted



Smooth

PART#	SIZE	TYPE	CENTER HOLES	GAUGE	THICKNESS (mm)	BCD	BOLT HOLES
CF124591	20"	Crucible Fixed	3 11/16"	7	4.5	5.0" & 5.25"	8
CF124590	20"	Fluted	3 11/16"	7	4.5	5.0" & 5.25"	8
CS124583	20"	Smooth	3 11/16"	7	4.5	5.0" & 5.25"	8

KSC-466360
(NH3)KSC-531002
(Liquid)

Coulter Arms

- (KSC-531002) Shown with Shield K-55 Chrome Liquid Knife
- (KSC-531002) Also Accommodates Spray Stream Injectors
- 4" Vertical Travel
- Up to 800# Down Pressure
- Heavy-Duty 1 3/4" Diameter Mounting Bar
- Equipped with 20" Smooth Blade (Also Available in Fluted, Crucible & Notched)
- N633 Hub & Spindle
- Bar Mounts Available for Any Size Toolbar

PART#	DESCRIPTION
KSC-466360	20" Coulter Arm with Shaft & 20" Smooth Blade
KSC-466370	24" Coulter Arm with Shaft & 24" Smooth Blade
KSC-531002	20" Liquid Coulter Arm with Shaft & 20" Smooth Blade

Spring Loaded Coulter-Shank Mounts



PART#	DESCRIPTION
KSC-466540	4x4 or 6x4 Mount
KSC-466540X	4x4 or 6x4 Double Spring Mount
KSC-466560	4x6 or 6x6 Mount
KSC466560X	4x6 or 6x6 Double Spring Mount
KSC-466570	5x7 or 7x7 Mount
KSC-466570X	5x7 or 7x7 Double Spring Mount

** Each Requires (2) 5/8" U-Bolts (Sold Separately)

Rigid Coulter Shank Mounts



PART#	DESCRIPTION
KSC-466392	4x4 or 6x4 Mount
KSC-466396	4x6 or 6x6 Mount
KSC-466397	5x7 or 7x7 Mount

** Each Requires (2) 5/8" U-Bolts (Sold Separately)

Rigid Coulter Mounts



PART#	DESCRIPTION
KSC-466340*	4x4 or 6x4 Mount
KSC-466640**	4x6 or 6x6 Mount
KSC-466571**	5x7 or 7x7 Mount

* Requires (1) 3/4" U-Bolt (Sold Separately)

** Requires (2) 3/4" U-Bolts (Sold Separately)

Fertilizer Applicator Shanks



JAP2125



KSH1298

PART#	DESCRIPTION
KSH1295	Blu-Jet 1" x 2" Shank
KSH1298	DMI 1" x 2" Shank
JAP2125	Blu-Jet 1 1/4" x 2" Edge Bent Shank

Sub-Tiller Wear Parts



PART#	DESCRIPTION
70210153	Blu-Jet Fall OEM ST Point
70210154	Blu-Jet Spring OEM ST Point
BP3440	Carriage Bolt
CP5026	Blu-Jet ACRA Shank Guard



Owensboro, KY

270.684.4202

Russellville, KY

270.725.8948

Greensburg, IN

812.222.1220

Mt. Vernon, IL

618.847.0283



Front Swept Knife

KKNWW50T



KKNWW50AS3



PART#	TYPE	TUBE SIZE	SEALER
KKNWW50AS	Front Swept	3/8"	Yes
KKNWW50AS1	Front Swept	3/8" x 3/8"	Yes
KKNWW50AS3	Front Swept	3/8" x 3/4"	Yes

A50SS "Super Sealer"

KKNK100A



KKNK100A1



KKNK100A3



PART#	TYPE	TUBE SIZE	SEALER
KKNK100A	Front Swept	3/8"	No
KKNK100A1	Front Swept	3/8" x 3/8"	No
KKNK100A3	Front Swept	3/8" x 3/4"	No

DMI Knives

DMICK



KKNDMI



PART#	DESCRIPTION
DMICK	Fertilizer Knife
DMICKAC	DMI Chrome Knife
KKNDMI	DMI Side Dress Knife, Chrome Insert, Pipe saver bead

Knife Sealer



KBTS



KBTS2



KBTSS



KBTSS2

PART#	DESCRIPTION
KBTS	Beaver Tail Sealer
KBTS2	Beaver Tail Sealer for Dual Tubes
KBTSS	Super Beaver Tail Sealer
KBTSS2	Super Beaver Tail Sealer for Dual Tubes

Tube Protectors


KTBU



KTBWKT2P



KBW



PART#	DESCRIPTION
KTBU	Chromium Tube Protector
KTBU	Chromium Tube Protector for "Gopher Knife"
KTBWKT2P*	Chromium Tube Protector for Dual Tubes
KBW	1/4" H Plate "Batwing"

*Will come with Dual Tube Strap

CDS-John Blue Front Swept Knife



PART#	TYPE	TUBE SIZE	SEALER
A-720-3S	Non-Coated, Front Swept	3/8"	Yes
A-720C-3S	Coated, Front Swept	3/8"	Yes
A-720-36S	Non-Coated Dual, Front Swept	3/8" x 3/4"	Yes
A-720C-36S	Coated Dual, Front Swept	3/8" x 3/4"	Yes
A-720C-6S	Coated 3/4" Tube Only	3/4"	Yes

A50MM "Minimum Movement"

KKNMT50AS



KKNMT50AS3



PART#	TYPE	TUBE SIZE	SEALER
KKNMT50AS	Front Swept	3/8"	Optional
KKNMT50A1	Front Swept	3/8" x 3/8"	Optional
KKNMT50AS3	Front Swept	3/8" x 3/4"	Optional

Nichols Back Swept Knife

N13HF8



PART#	TYPE	TUBE SIZE	SEALER
N13HF8	Back Swept	3/8"	No

CO50 "Extra-Thin Coulter Knife"

KKNWCO50A



PART#	TYPE	TUBE SIZE	SEALER
KKNWCO50A	Front Swept	3/8"	No
KKNWCO50B	Front Swept	1/2"	No

Replacement Vapor Tubes

KTUT38CD



KTUT34

KTUT38



PART#	DESCRIPTION
KTUT38	3/8" Open End Replacement Tube
KTUT38CD	3/8" Crimped & Drilled Replacement Tube
KTUTST	3/8" Stainless Steel Tube
KTUT12	1/2" Open End Replacement Tube
KTUT12CD	1/2" Crimped & Drilled Replacement Tube
KTUT34	3/4" Replacement Vapor Tube

