

Vertical Bulk Storage

Vertical Tanks are free standing with a flat bottom for indoor or outdoor installations. Tanks are manufactured from medium or high-density polyethylene with U.V. Inhibitors. Tank walls are translucent (depending on color) for level viewing and equipped with gallon indicators.

Commonly stocked tank colors:

BLACK

YELLOW

BLUE

WHITE



PART#	CAPACITY	DIMENSIONS (Diameter x Height)	LID	FITTING
+VT0010-12	10 Gallon	12 x 25	8"	3/4"
+VT0020-16	20 Gallon	16 x 28	8"	3/4"
+VT0025-18	25 Gallon	18 x 30	5"	3/4"
+VT0040-18	40 Gallon	18 x 43	5"	3/4"
+VT0055-20	55 Gallon	20 x 47	5"	1"
+VT0065-23	65 Gallon	23 x 42	5"	1"
*+VT0075-23	75 Gallon	23 x 50	7"	1"
*+VT0100-28	100 Gallon	28 x 45	7"	1"
*+VT0105-23	105 Gallon	23 x 65	7"	1"
VT0110-32	110 Gallon	32 x 41	5"	2" Top
*VT0130-32	130 Gallon	32 x 46	8"	1"
VT0135-23	135 Gallon	23 x 82	16"	1"
*VT0135-28	135 Gallon	28 x 59	8"	1"
*VT0160-28	160 Gallon	28 x 68	8"	1"
*VT0175-31	175 Gallon	31 x 61	8"	1 1/2"
*VT0180-40	180 Gallon	40 x 45	5"	2" Top
*VT0210-40	210 Gallon	40 x 49	5"	2" Top
*VT0225-31	225 Gallon	31 x 76	8"	1 1/2"
*VT0265-31	265 Gallon	31 x 88	8"	1 1/2"
*VT0295-42	295 Gallon	42 x 55	16"	2"
*VT0300-35	300 Gallon	35 x 81	8"	2"
VT0300-42	300 Gallon	42 x 55	8"	2"
VT0405-52	405 Gallon	52 x 48	8"	2"
*VT0420-42	420 Gallon	42 x 75	16"	2"
VT0425-42	425 Gallon	42 x 75	8"	2"
*VT0500-46	500 Gallon	46 x 77	8"	2"
VT0505-46	505 Gallon	46 x 80	16"	2"
VT0550-52	550 Gallon	52 x 66	8"	2"
VT0600-46	600 Gallon	46 x 91	16"	2"
VT0625-64	625 Gallon	64 x 50	8"	2"
VT0800-46	800 Gallon	46 x 118	16"	2"
*VT0850-54	850 Gallon	54 x 94	8"	2"
VT0900-46	900 Gallon	46 x 132	16"	2"
VT1000-64	1000 Gallon	64 x 81	16"	2"

Siphon Tube included with Tanks 300 Gallons or Greater

PART#	CAPACITY	DIMENSIONS (Diameter x Height)	LID	FITTING
VT1050-86	1050 Gallon	86 x 54	16"	2"
VT1200-64	1200 Gallon	64 x 97	16"	2"
VT1350-86	1350 Gallon	86 x 65	16"	2"
VT1500-64	1500 Gallon	64 x 115	16"	2"
VT1500-86	1500 Gallon	86 x 69	16"	2"
VT1525-64	1525 Gallon	64 x 122	16"	2"
VT1650-86	1650 Gallon	86 x 74	16"	2"
VT2000-64	2000 Gallon	64 x 156	16"	2"
VT2000-90	2000 Gallon	91 x 84	16"	2"
VT2050-86	2050 Gallon	86 x 93	16"	2"
VT2150-102	2150 Gallon	102 x 71	16"	2"
VT2500-90	2500 Gallon	91 x 103	16"	3"
VT2500-96	2500 Gallon	96 x 92	16"	3"
VT3000-90	3000 Gallon	91 x 120	16"	3"
VT3000-96	3000 Gallon	96 x 109	16"	3"
VT3100-102	3100 Gallon	102 x 103	16"	3"
VT3400-102	3400 Gallon	102 x 107	16"	3"
VT4000-96	4000 Gallon	96 x 140	16"	3"
VT4200-96	4200 Gallon	96 x 148	16"	3"
VT4995-142	4995 Gallon	142 x 90	16"	3"
VT5000-102	5000 Gallon	102 x 156	16"	3"
VT5150-102	5150 Gallon	102 x 161	16"	3"
VT6250-102	6250 Gallon	102 x 194	16"	3"
VT6500-120	6500 Gallon	120 x 152	16"	3"
VT7000-142	7000 Gallon	142 x 125	16"	3"
VT7800-120	7800 Gallon	120 x 176	16"	3"
VT8000-120	8000 Gallon	120 x 180	16"	3"
VT9000-142	9000 Gallon	142 x 154	16"	3"
VT9150-120	9150 Gallon	120 x 203	16"	3"
VT9500-120	9500 Gallon	120 x 213	16"	3"
VT10500-2500	10500 Gallon	142 x 175	16"	3"
VT10500-2800	10500 Gallon	142 x 175	16"	3"
VT12500-142	12500 Gallon	142 x 205	16"	3"
VT15500-142	15500 Gallon	142 x 243	16"	3"

*Indicates tank has a flat top instead of a dome top
+Can ship via UPS/FedEx



PART#	CAPACITY	HOOPS PART #	DIMENSIONS (W x L x H)	LID	FITTING
+FS0035-18	35 Gallon	+FS0035-SBFP	18 x 34	5"	1"
+FS0055-23	55 Gallon	- - - - -	23 x 34	5"	1"
+FS0065-24	65 Gallon	+FS0065-SBPF	24 x 39	5"	1"
+FS0070-24	70 Gallon	- - - - -	24 x 39	5"	1"
FS0125-32	125 Gallon	+FS125/165-SBPF	32 x 40	8"	1"
FS0165-32	165 Gallon	+FS125/165-SBPF	32 x 54	8"	1"
FS0225-38	225 Gallon	+FS225/325-SBPF	38 x 52	8"	2"
FS0325-38	325 Gallon	+FS225/325-SBPF	38 x 72	12"	2"
FS0335-44	335 Gallon	+FS0335-SBPF	44 x 56	16"	2"
FS0510-57	510 Gallon	FS0510-HP (Set of 3)	57 x 80 x 39	16"	2"
FS0535-48	535 Gallon	+FS0535-SBPF	48 x 78	16"	2"
FS0735-48	735 Gallon	FS048-HP (Set of 3)	48 x 103	16"	2"
FS0925-DW	925 Gallon	FS062-HP-925 (Set of 2)	62 x 81	16"	2"
FS1005-48	1005 Gallon	FS1005-HP (Set of 4)	48 x 130	16" Flip Lid	2"
FS1035-78	1035 Gallon	FS1035-HP (Set of 3)	78 x 90 x 52	16" Flip Lid	2"
FS1065-56W	1065 Gallon	FS1065-HP (Set of 3)	56 x 105	16" Flip Lid	2"
FS1300-DW	1300 Gallon	FS062-HP-1300 (Set of 3)	62 x 114	16" Flip Lid	3"
FS1610-78	1610 Gallon	FS1610-HP (Set of 4)	78 x 139 x 58	16" Flip Lid	3"
FS1750-62W	1750 Gallon	FS062-HP-1750 (Set of 4)	62 x 147	16" Flip Lid	3"
FS1800-2W	1800 Gallon	FS062-HP-1800C (Set of 4)	62 x 149	16" Flip Lid	3"
FS1850-78	1850 Gallon	FS1850-HP (Set of 4)	78 x 139 x 63	16" Flip Lid	3"
FS2350-88	2350 Gallon	FS2350-HP (Set of 4)	88 x 146 x 63	16" Flip Lid	3"
FS2600-2W	2600 Gallon	FS062-HP-2600C	62 x 212	16" Flip Lid	3"
FS2750-88	2750 Gallon	FS2750-HP	88 x 146 x 70	16" Flip Lid	3"
FS3250-88	3250 Gallon	FS3250-HP	88 x 146 x 79	16" Flip Lid	3"
FS3750-88	3750 Gallon	FS3750-HP	88 x 146 x 91	16" Flip Lid	3"
FS4200-92	4200 Gallon	FS4200-HP-92	92 x 195 x 80	16" Flip Lid	3"
FS4250-88	4250 Gallon	FS4250-HP	88 x 101 x 146	16" Flip Lid	3"

Free-Standing Horizontal Bulk Storage Tanks

Free Standing Tanks are selected when transportable containment is required for indoor or outdoor applications. Tanks are equipped with molded-in legs to support the tank and band locators for tie down. Tanks are manufactured from medium or high-density polyethylene with U.V. Inhibitors and designed for containment of liquids up to 1.7 specific gravity. Tank walls are translucent (depending on color) for level viewing and equipped with gallon indicators.

Commonly stocked tank colors:



- +Can ship via UPS/FedEx
- +Tanks purchased without hoops void warranty
- +Tanks larger than 1610 gallons include baffles
- +Sump, baffle, and ladder options available upon request

Free-Standing Horizontal With Sump

PART#	CAPACITY	HOOPS PART #	DIMENSIONS (W x L x H)	LID	FITTING
+FM0015-14S	15 GAL	- - - - -	14 x 30	5"	- -
+FM0025-16S	25 GAL	- - - - -	16 x 34	5"	- -
FM0925-DS	925 GAL	FS062-HP-925 / FS0925-SK	62 x 81	16"	2"
FM1010-48	1010 GAL	FM1010-HP / FM1010-SK	48 x 130	16" Flip Lid	2"
FM1065-56S	1065 GAL	FS1065-HP / FM1065-SKS	56 x 105	16" Flip Lid	2"
FM1300-DS	1300 GAL	FS062-HP-1300 / FS1300-SK	62 x 114	16" Flip Lid	3"
FM1310-62	1310 GAL	FM1310-HP / FM1310-SKC CENTER SUMP FM1310-HP / FM1310-SKE END SUMP	62 x 114 x 67	16" Flip Lid	3"
FM1610-78S	1610 GAL	FM1610-HP / FM1610-SKC	78 x 139 x 58	16" Flip Lid	3"
FM1750-62S	1750 GAL	FS062-HP-1750 / FS1750-SK	62 x 147	16" Flip Lid	3"
FM1800-2S	1800 GAL	FS062-HP-1800C / FM1800-SKS	62 x 149	16" Flip Lid	3"
FM1850-78S	1850 GAL	FM1850-HP / FM1610-SKS	78 x 139 x 67	16" Flip Lid	3"
FM2350-88S	2350 GAL	FS2350-HP / FM2350/3250-SKS	88 x 146 x 63	16" Flip Lid	3"
FM2600-2S	2600 GAL	FS062-HP-2600C / FS2600-SK	62 x 212	16" Flip Lid	3"
FM2750-88S	2750 GAL	FS2750-HP / FM2350/3250-SKS	88 x 146 x 70	16" Flip Lid	3"
FM3200-2S	3200 GAL	FM3200-HP / FM3200-SK	88 x 172 x 74	16" Flip Lid	3"
FM3250-88S	3250 GAL	FS3250-HP / FM2350/3250-SKS	88 x 146 x 79	16" Flip Lid	3"
FM3750-88S	3750 GAL	FS3750-HP / FM2350/3250-SKS	88 x 146 x 91	16" Flip Lid	3"
FM4200-92	4200 GAL	FS4200-HP-92 / FM4200-SKCO	92 x 195 x 80	16" Flip Lid	3"
FM4250-88S	4250 GAL	FS4250-HP / FM2350/3250-SKS	88 x 146 x 101	16" Flip Lid	3"

- +Indicates shipped via UPS/FedEx
- SKID REQUIRED TO SUPPORT ELEVATED LEGS





Cone Bottom Tanks

Cone Bottom Tanks are selected when a more complete drain out of stored chemical is required in indoor or outdoor installations. Tanks require stands to support the conical bottoms. Tanks are manufactured from medium or high-density polyethylene with UV inhibitors. Tank walls are translucent for level viewing and equipped with gallon indicators.



Commonly stocked tank colors:

BLACK

BLUE

WHITE



CB096-30ST

Cone Bottom Tanks - Dome Top

PART#	CAPACITY	DIMENSIONS (DIA x HEIGHT)	OVERALL HEIGHT (INCLUDING STAND)	LID	FITTING	SPECIFIC GRAVITY
CB0300-42	300 GAL - 45°	42 x 67	79"	16"	2"	2.0
CB0800-86	800 GAL - 15°	86 x 48	58"	16"	2"	1.7
CB1000-64	1000 GAL - 45°	64 x 98	112"	16"	2"	1.7
CB1000-90	1000 GAL - 15°	91 x 54	64"	16"	2"	1.7
CB1005-64	1005 GAL - 15°	64 x 86	105"	16"	2"	1.7
CB1200-90	1200 GAL - 15°	91 x 62	74"	16"	3"	1.7
CB1300-90	1300 GAL - 15°	91 x 65	75"	16"	3"	1.7
CB1490-64	1490 GAL - 45°	64 x 132	146"	16"	3"	1.7
CB1500-64	1500 GAL - 15°	64 x 122	141"	16"	3"	1.7
CB1500-96	1500 GAL - 30°	96 x 80	92"	16"	3"	1.7
CB1600-90	1600 GAL - 30°	91 x 85	94"	16"	3"	1.7
CB1700-86	1700 GAL - 15°	86 x 85	96"	16"	3"	1.7
CB2000-96	2000 GAL - 30°	96 x 96	108"	16"	3"	1.7
CB2495-90	2495 GAL - 30°	91 x 119	129"	16"	3"	1.7
CB2500-90	2500 GAL - 15°	91 x 111	122"	16"	3"	1.7
CB2600-90	2600 GAL - 30°	91 x 123	132"	16"	3"	1.7
CB2600-86	2600 GAL - 45°	86 x 146	158"	16"	3"	1.7
CB3000-90	3000 GAL - 15°	91 x 128	138"	16"	3"	1.7
CB3000-96	3000 GAL - 30°	96 x 125	137"	16"	3"	1.7
CB4200-122	4200 GAL - 15°	122 x 113	126"	16"	3"	1.7
CB4600-102	4600 GAL - 15°	102 x 155	166"	16"	3"	1.7
CB4900-102	4900 GAL - 15°	102 x 159	170"	16"	3"	1.7
CB6000-122	6000 GAL - 15°	122 x 150	162"	16"	3"	1.7
CB6900-122	6900 GAL - 15°	122 x 168	178"	16"	3"	1.7
CB7500-142	7500 GAL - 15°	142 x 143	163"	16"	3"	1.7
CB8250-122	8250 GAL - 15°	122 x 195	206"	16"	3"	1.7
CB10500-142	10500 GAL - 15°	142 x 187	209"	16"	3"	1.7
CB12500-142	12500 GAL - 15°	142 x 216	239"	16"	3"	1.7

Stand is Required

Cone Bottom Stands

PART#	DESCRIPTION	DIMENSIONS (DIA x HEIGHT)	CLEARANCE
CB036-45ST	150 GAL - 45°	64 x 61	12"
CB042-45ST	200, 300 or 350 GAL - 45°	41 x 34	11"
CBFD042-45ST	240 GAL FULL DRAIN - 45°	42 x 42	10"
CB052-45ST	345 or 500 GAL - 45°	55 x 41	13"
CB064-15ST	1005 or 1500 GAL - 15°	64 x 25	16"
CB064-45ST	1000 or 1490 GAL - 45°	64 x 61	14"
CB086-15ST	800 or 1700 GAL - 15°	86 x 23	11"
CB086-45ST	2600 GAL - 45°	86 x 49	12"
CB090-15ST	850, 1000, 1150, 1200, 1300, 2450, 2500 or 3000 GAL - 15°	90 x 24	11"
CB090-30ST	1550, 1600, 2550 or 2600 GAL - 30°	94 x 40	9"
CB096-30ST	1500, 2000, 3000 GAL - 30°	96 x 38	12"
CB102-15ST	4600 or 4900 GAL - 15°	102 x 25	11"
CB122-15ST	4200, 6000, 6900 or 8250 GAL - 15°	122 x 27	10"
CB142-15ST	7500, 10500 or 12500 GAL - 15°	142 x 40	20"





Commonly stocked tank colors:



PART#	CAPACITY	DIMENSIONS (W x L x H)	CRADLE PART # (INCLUDES BANDS)	LID	FITTING
HE0085-36	85 Gallon	36 x 47 x 21	HE0085-C	7"	N/A
HE0200-41	200 Gallon	41 x 66 x 26	HE0200-C	8"	3/4" & 1 1/4"
HE0300-48	300 Gallon	48 x 70 x 30	HE0300-C	8"	3/4" & 1 1/4"
HE0400-57	400 Gallon	57 x 70 x 36	HE0400-C	8"	3/4" & 1 1/4"
HE0500-57	500 Gallon	57 x 82 x 36	HE0500-C	8"	3/4" & 1 1/4"
HED0500-57	500 Gallon (8.5")	57 x 82 x 36	HE0500-C	8"	3/4" & 1 1/4"
HE0600-64	600 Gallon	64 x 84 x 39	HE0600-C	16"	3/4" & 1 1/4"
HE0750-69	750 Gallon	69 x 89 x 42	HE0750-C	16"	1 1/4" & 2"
HED0750-69	750 Gallon (8.5")	69 x 89 x 42	HE0750-C	16"	1 1/4" & 2"
HE0850-69	850 Gallon	69 x 89 x 46	HE0850-C	16"	1 1/4" & 2"
HED0850-69	850 Gallon (8.5")	69 x 89 x 46	HE0850-C	16"	1 1/4" & 2"
HE1000-78	1000 Gallon	78 x 90 x 49	HE1000-C	16"	1 1/4" & 2"
HED1000-78	1000 Gallon (8.5")	78 x 90 x 49	HE1000-C	16"	1 1/4" & 2"
HE1250-78	1250 Gallon	78 x 92 x 60	HE1250-C	16"	1 1/4" & 2"
HED1250-78	1250 Gallon (8.5")	78 x 92 x 60	HE1250-C	16"	1 1/4" & 2"
HE1600-78	1600 Gallon	78 x 138 x 49	HE1600-C	16"	2"
HED1600-78	1600 Gallon (6")	78 x 138 x 49	HE1600-C	16"	2"
+HZ0025-23	25 Gallon	22 x 33	+HZ0025-C	5"	3/4"
+HZ0055-23	55 Gallon	23 x 38	+HZ0055-C	5"	3/4"
+HZ0075-24	75 Gallon	24 x 47	+HZ0075-C	5"	3/4"
+HZ0095-24	95 Gallon	24 x 56	+HZ0095-C	5"	1 1/4"
HZ0100-23	100 Gallon	23 x 64	+HZ0100-C	5"	1 1/4"
HZ0110-30	110 Gallon	30 x 44	+HZ0110-C	8"	1 1/4"
HZ0150-30	150 Gallon	30 x 57	+HZ0153-C	8"	3/4" & 1 1/4"
HZ0150-32	150 Gallon	32 x 52	HZ0150-C	8"	3/4" & 1 1/4"
HZ0200-32	200 Gallon	32 x 68	HZ0232-C	8"	3/4" & 1 1/4"
HZ0200-38	200 Gallon	38 x 51	HZ0238-C	8"	3/4" & 1 1/4"
HZ0300-38	300 Gallon	38 x 76	HZ0300-C	8"	3/4" & 1 1/4"
HZ0400-42	400 Gallon	42 x 76	HZ0400-C	8"	3/4" & 1 1/4"
HZ0500-48	500 Gallon	48 x 79	HZ0500-C	8"	3/4" & 1 1/4"

HE=Elliptical HED=Elliptical with Deep Sump HZ=Round

- Baffle system standard in 1250 gallons and greater
- Sump and baffle options available upon request
- +Can ship via UPS/FedEx

Round Horizontal Tanks

Round Horizontal Tanks are selected when transportable containment is required for indoor or outdoor applications. Tanks require skids and bands to support round bottom. All tanks are equipped with drain out sumps. Tanks are manufactured from medium-density polyethylene with U.V. Inhibitors and designed for containment of liquids of up to 1.7 specific gravity. Tank walls are translucent for level viewing and equipped with gallon indicators.

Elliptical Cradle Tanks

Elliptical Tanks can be selected for stationary or transportable applications both indoors and outdoors. The elliptical tank lowers the center of gravity to enhance stability and visibility. The tanks feature a standard 2 1/2" collection sump on the bottom for full drain out. An 8 1/2" deep sump option is available on five sizes. Sump is located directly under the lid on standard tanks, but a center sump option is available on tanks from 500-1250 gallons. These tanks require the bottom to be fully supported with a cradle for use. The tanks are manufactured from medium-density polyethylene with U.V. Stabilizers and are designed for containment of liquids of up to 1.7 specific gravity. Tank walls are translucent for level viewing and equipped with gallon indicators.



Tank Accessories

Sight Gauge Kit



- Valve included: Change cloudy or damaged hose even with product in tank.
- 10' of hose included
- Includes float ball for better visibility

Part# SIGHTGAUGEKIT

Sight Gauge Ball



Part# SIGHTGAUGEball1/2

- Included in Sight Gauge Kit

Poly Siphon Tubes



PART#	DESCRIPTION
ST200	2" Poly Siphon Tube
ST300	3" Poly Siphon Tube

1" Hudson Valve

- No lever arm
- No exterior moving parts
- Resistant to freezing
- Installs in seconds
- No float ball
- High volume
- Anti-siphon
- Rust-proof



Hudson Valve

Tank Repair

Tifco Industries SmartPatch



SMARTPATCH 8862

Smart Patch comes in a 6" x 9" adhesive patch. Smart Patch doesn't just glue things together, it creates a permanent bond and adheres to almost any surface. Metal, wood, glass, ceramics, pvc, fiberglass, concrete, plastics and glass-reinforced plastics. Once it cures it can be drilled, tapped, painted and sanded.

Solarez Repair Putty 3.5 oz

Comes with 60/240 grit sand pad. A thin-paste mixture of clear, polyester resin and chop-strand glass fibers. Cures either by UV light in approx 3 minutes or by MEKP catalyst in 30 minutes. Effectively repairs wood many metals and most plastics except Styrofoam.





Tru-Kleen Chemical Inductors

Tru-Kleen Chemical Inductor Tanks with Stands

- 16" Vented Lid
- Stand is pre-drilled and ready to be bolted down
- 2" Male Threaded Snout (No Bulk-Head Fittings)
- 1 Gallon Increments on 20-65 Gallon Tanks
- 2.5 Gallon Increments on 100 & 200 Gallon Tanks

TANK & TALL STAND COMBOS (Tall Stands Allow Space for 3" Plumbing)			
PART#	CAPACITY	DESCRIPTION	DIMENSIONS (Diameter x Height)
TK20TS-3	20 Gal.	Tank & Tall Stand	18 x 41
TK30TS-3	30 Gal.	Tank & Tall Stand	18 x 51
TK40MTS-3	40 Gal.	Magnum Tank & Tall Stand	28 x 43
TK65MTS-3	65 Gal.	Magnum Tank & Tall Stand	28 x 51
TK100MTS	100 Gal.	Magnum Tank & Tall Stand	35 x 48
TK200MTS	200 Gal.	Magnum Tank & Tall Stand	35 x 78

TANK & SHORT STAND COMBOS (Short Stands Allow Space for 2" Plumbing)			
PART#	CAPACITY	DESCRIPTION	DIMENSIONS (Diameter x Height)
TK20TS-2	20 Gal.	Tank & Short Stand	18 x 39
TK30TS-2	30 Gal.	Tank & Short Stand	18 x 48
TK40MTS-2	40 Gal.	Magnum Tank & Short Stand	28 x 40
TK65MTS-2	65 Gal.	Magnum Tank & Short Stand	28 x 48



Tru-Kleen Inductor Accessories

- Cone Rinse** Washes chemical out of your entire tank
- Anti-Vortex Plates** Prevents your pump from losing it's prime
- Jug Rinse** Leaves no wasted chemical in your jugs
- Tank Agitation** Evenly mixes chemical
- Jug Cutter** Efficiently opens, empties, & rinses chemical containers
- Tank/Stand w/ Venturi** Kit includes venturi kit & Cone rinse (option 1)

OPTIONAL INDUCTOR ACCESSORIES	
PART#	DESCRIPTION
TKC20-30	Tru-Kleen Cone Rinse System 20/30 Gal.
TKC40-65	Tru-Kleen Cone Rinse System 40/65 Gal.
TKJUG	Tru-Kleen Stainless Jug Rinse
TKV20	Anti-Vortex Plate for 20/30 Gal.
TKV40	Anti-Vortex Plate for 40/65 Gal.
TKV100	Anti-Vortex Plate for 100/200 Gal.
JET RINSE	Jet Rinse Container Rinsers
TKJUGCUT	Stainless Jug Cutter w/ Rinse Ball
TKTURBO	Tru-Kleen Tank Agitation



PRE-PLUMBED INDUCTOR KITS w/ VENTURI (option 6)	
PART#	DESCRIPTION
TKINJ20-2-TKC	Tru-Kleen Inductor with 2" Venturi & tank rinse
TKINJ30-2-TKC	Tru-Kleen Inductor with 2" Venturi & tank rinse
TKINJ40-2-TKC	Tru-Kleen Inductor with 2" Venturi & tank rinse
TKINJ40-3-TKC	Tru-Kleen Inductor with 3" Venturi & tank rinse
TKINJ65-2-TKC	Tru-Kleen Inductor with 2" Venturi & tank rinse
TKINJ65-3-TKC	Tru-Kleen Inductor with 3" Venturi & tank rinse



NEW PRODUCTS
EQUIPMENT
LUCAS OIL PRODUCTS
KNIVES & COULTER COMPONENTS
TANKS
PRECISION ELECTRONICS
SPRAY TIPS
NOZZLE BODIES
SPRAY COMPONENTS
PUMPS & METERS
VALVES & STRAINERS
FITTINGS & COUPLINGS
NH3
FUEL TRANSFER
AG COMPONENTS
PLANTER PRODUCTS

Inductor Tanks

Inductor Tanks are selected as supply tanks for indoor or outdoor applications and feature conical bottoms to facilitate liquid drain out. Tanks feature a bulkhead fitting for supply line connection. New "Full Drain" tanks are available with molded in threaded outlet for complete drainage. Tanks require stands to support the conical bottoms. Tanks are manufactured from medium-density polyethylene with U.V. Inhibitors and designed for containment of liquids of up to 1.7 specific gravity. Tank walls are translucent for level viewing and equipped with gallon indicators.



PART#	CAPACITY	DIMENSIONS (DIA X HEIGHT)	STAND PART #	LID	FITTING
+INFD7-15	7 Gallon Full Drain	15 x 21	+INFD7-10-ST	8"	1 1/2" FPT BOSS
+INFD10-15	10 Gallon Full Drain	15 x 25	+INFD7-10-ST	8"	1 1/2" FPT BOSS
+IN0015-19	15 Gallon	19 x 24	+IN15-ST	12"	2" FPT
+INFD15-19	15 Gallon Full Drain	19 x 27	+INFD15-ST	16" Flip Lid	1 1/2" FPT BOSS
+IN0015-19SM	15 Gallon Side Mount	19 x 24	N/A	12"	2" FPT
+IN0030-24	30 Gallon	24 x 30	+IN30/55-ST	12"	2" FPT
+INFD30-24	30 Gallon Full Drain	24 x 33	+INFD30/55-ST	16" Flip Lid	2" MPT BOSS
+INFD40-30	40 Gallon Full Drain	30 x 34	+INFD40/85-ST	12"	2" MPT BOSS
+IN0055-24	55 Gallon	24 x 42	+IN30/55-ST	12"	2" FPT
+INFD55-24	55 Gallon Full Drain	24 x 46	+INFD30/55-ST	12"	1 1/2" FPT BOSS
+INFD60-30	60 Gallon Full Drain	30 x 38	+INFD40/85-ST	16" Flip Lid	2" MPT BOSS
+IN0085-30	85 Gallon	30 x 43	+IN40/85-ST	12"	2" FPT
INFD85-30	85 Gallon Full Drain	30 x 48	+INFD40/85-ST	12"	2" FPT BOSS
IN0110-30	110 Gallon	30 x 51	+IN40/85-ST	12"	2" FPT
INFD110-30	110 Gallon Full Drain	30 x 56	+INFD40/85-ST	12"	2" FPT BOSS



+Can ship via UPS/FedEx

Blow Molded Inductor Tanks

Tanks are furnished with a stainless steel clamp on the outlet to secure the fitting of choice. New "Full Drain" tanks are available with molded in threaded outlet for complete drainage. Tanks come with four blow molded legs that are attached directly to the tank with Stainless Steel hardware. Tanks are manufactured from medium-density polyethylene with U.V. Inhibitors and designed for containment of liquids of up to 1.7 specific gravity. Tank walls are translucent for level viewing and equipped with gallon indicators.

PART#	CAPACITY	DIMENSIONS (Diameter x Height)	LID	FITTING
IBFD10-SET	10 Gallon Full Drain	26 x 35	12"	2"
IBFD15-SET	15 Gallon Full Drain	26 x 39	12"	2"
IBFD20-SET	20 Gallon Full Drain	26 x 44	12"	2"
IBFD35-SET	35 Gallon Full Drain	32 x 49	12"	2"
IBFD60-SET	60 Gallon Full Drain	32 x 62	12"	2"

*Part# 12695: Leg Anchor Kit for Blow-Molded Tanks (sold separately)






Manifold Inductor Kits



Front View w/ Tank

- Installed after pump
- Suction completely empties Inductor Tank
- Venturi prevents back-flow
- 2" & 3" Full Port flow
- Easy assembly/installation with Manifold Connections
- Only run clean water through pump

PART#	DESCRIPTION
MIS220AA	2" Full Port Inductor Kit
MIS300AA	3" Inductor Kit



Rear View

Top View

Inductor Tank Components



55270-3/4-18-PO



JR-24



BG-3400-0175

PART#	DESCRIPTION
JR-24	Multi Directional Rinser (3/4" FGHT)
55270-3/4-18-PO	360° Tank Rinser (3/4" FPT)
CB0016	Jug Splitting System with Tank Rinse Nozzle (Plumbing Not Included)
BG-3400-0175	ProClean™ II Valve and Nozzle
3371-0019	Jet Agitator and Volume Booster (3/4" MPPT) Up to 4 Times the Volume
30875	Norwesco Jug Splitting Knife Kit



CHEM-BLADE

CB0016



30875



3371-0019



Blow Molded Spot Sprayer & Applicator Tanks

Spot Sprayer Tanks are designed as portable applicator supply tanks and are equipped with pump and equipment mount inserts. 15 and 25 gallon tanks are equipped with molded in legs to support the tank and band locators for tie down. Tanks mount with bottom inserts. 40 and 60 gallon tanks are designed with injection-molded leg inserts that allow the tanks to be anchored. Tanks are manufactured from linear low-density polyethylene with U.V. Inhibitors and designed for containment of liquids of up to 1.7 specific gravity. Tank walls are translucent for level viewing and equipped with gallon indicators.



PART#	CAPACITY	DIMENSIONS (W x L x H)	LID
SB00015SWS-SPR	15 Gallon	16 x 34 x 13	5"
SB00015SYS-SPR	15 Gallon	16 x 34 x 13	5"
SB00025SWS-SPR	25 Gallon	18 x 36 x 17	5"
SB00025SYS-SPR	25 Gallon	18 x 36 x 17	5"
SB00040SWSS	40 Gallon	24 x 36 x 19	5"
SB00040SYSS	40 Gallon	24 x 36 x 19	5"
SB00060SWSS	60 Gallon	24 x 36 x 26	5"
SB00060SYSS	60 Gallon	24 x 36 x 26	5"

- W indicates white and Y indicates yellow
- SPR indicates spring loaded vent cap
- Other tank and sump options available
- All tanks can ship via UPS/FedEx



Rectangle Tanks

PART#	CAPACITY	DIMENSIONS (W x L x H)	LID
SP0005-RT	5 Gallon	7 x 15 x 14	5"
SP0007-RT	7 Gallon	7 x 12 x 14	5"
SP0016-MM	16 Gallon	11 x 11 x 15	5"
SP0012-RT	12 Gallon (Bottom Sump)	11 x 11 x 20	5"
SP0020-LC	20 Gallon (Bottom Sump)	13 x 13 x 21	8"

- Other tank and lid options available
- All tanks can ship via UPS/FedEx



Rinse Tanks

PART#	CAPACITY	DIMENSIONS (W x L x H)	LID
SPMB2.5-RT	2.5 Gallon	7 x 15 x 14	5"
SPBM003-RT	3 Gallon	7 x 12 x 14	5"
SP003.5-CL	3.5 Gallon (Cylinder)	11 x 15	5"
SPBM04-SQ5	4 Gallon	11 x 11 x 15	5"
SPBM05-SQ5	5 Gallon	11 x 11 x 20	5"
SP0010-SQ8	10 Gallon	13 x 13 x 21	8"
SP0015-SQ8	15 Gallon	16 x 16 x 23	8"

- Other tank and lid options available
- All tanks can ship via UPS/FedEx



Tank Lids



15082



3522160



TL16-0006

PART#	DESCRIPTION
10631	2" Spin-on Kelch Cap
13696	5" Threaded Lid w/Vent
13709	5" Threaded Lid w/2-Way Step Vent
10525	8" Threaded Vented Lid & Ring
10526	12" Threaded Non-Vented Lid & Ring
10527	12" Threaded Vented Lid & Ring
10528	16" Threaded Vented Lid & Ring
15082	Vented Hinged 16"
15083	Non-Vented Hinged 16"
10530	22" Threaded Vented Lid & Ring
10520	Breather Only (for 8" & 12" lids)
10529	Breather, 4" Center (for 16" lid)
19024	Outlet Cap - 3/4"
19025	Tether for Outlet Cap
10960	Gasket for Outlet Cap

PART#	DESCRIPTION
3522100-1	6" Solid Lid with Ring
3522120	8" Solid Lid
3522221-1	8" Lid with Ring (Labyrinth Breather)
3522140-1	12" Lid with Ring (Labyrinth Breather)
3522140	12" Lid (Labyrinth Breather)
TL16-0007	180° Hinged 16" (Labyrinth Breather)
TL16-0006	180° Hinged 16" (Bullet Breather)
3522160-1	16" Solid Lid with Ring
3522160	16" Solid Lid
3522060-1	16" Lid with Ring (Labyrinth Breather)
3522060	16" Lid (Labyrinth Breather)





6" Solid Tank Lids



PART#	DESCRIPTION	Gasket
TL650S	6" Solid Tank Lid w/Gasket	Santoprene
TL650E	6" Solid Tank Lid w/Gasket	EPDM

6" Tank Lids W/Vented 2" Plug



PART#	DESCRIPTION	Gasket
TL652S	6" Tank Lid w/Vented 2" Plug w/Gasket	Santoprene
TL652E	6" Tank Lid w/Vented 2" Plug w/Gasket	EPDM

6" Tank Lids W/Unvented 2" Plug



PART#	DESCRIPTION	Gasket
TL651S	6" Tank Lid w/Unvented 2" Plug w/Gasket	Santoprene

5 1/2" Spray Tank Lids



PART#	DESCRIPTION
TL600C	5 1/2" Vented Tank Lid

10" Vented Tank Lids



PART#	DESCRIPTION
TLVA10	10" Vented Tank Lid & Ring Assembly (New Style)
TLA10	10" Vented Tank Lid & Ring Assembly (Old Style)
TLV10R	10" Vented Tank Lid Assembly w/o Ring
TLV1	Vent Cover
TLV2	Center Vent
TR10R1	10" Tank Ring Only

